

E27 LED Retrofit BULLED CLASSIC Product Specification

- > Extremely durable high-quality retrofit LED lamp, sized liked a regular incandescent light bulb
- > Substitute for a E27 60-watt incandescent light bulb
- > Outstanding colour rendering (CRI typ. 90)
- > Instant 100% luminosity
- > Uniform and omnidirectional light dispersion
- > Dimmable with trailing edge dimmer
- > No mercury or other harmful substances
- > Robust materials
- > Lifetime 80,000 h
- > 5 Years Warranty
- > Weight ca. 140 g



bulled
CLASSIC

98 x 55

330°

Ra90

80,000 h

Robust

Dimmable¹

General Characteristics		Environmental Characteristics	
Socket	E27	Energy efficiency	Class A
Bulb	A55	Photometric Characteristics	
Lifetime (hours)	80,000 h	Colour code	WW
Lifetime (years with ca. 3h daily usage)	80 years	Luminous colour	Warmwhite
Electrical Specifications		Luminous flux	700 Lm
Power input	11 W	Colour rendering	90 (± 5%)
Voltage	230 V	Colour temperature	2800 K
Power consumption	50 mA	LLMF-End nominal lifetime	70% (L 70)
Frequency	50 Hz	Product Dimensions	
Power factor	>0,9	Diameter	55 mm
Dimmable	with trailing edge dimmer ¹	Length	98 mm
Comparable output	60 W	Net weight per item	0,140 kg
Start time	0,4 sec		
Switching cycle	>150.000 x		

¹ further Information and a list of tested dimmers is available on www.mybulled.com

Produktdata		
bulled CLASSIC		
Order number	BCS 2011 01-01	BCS 2011 03-01
Product colour	Silver	Black
Order description	CLASSIC SILVER	CLASSIC BLACK
Items per package	1	1
Packaging configuration	10	10
Items per board	10	10
Barcode on package (EAN 1)	4260275960003	4260275960010
Barcode on configuration (EAN 2)	4260275960041	4260275960058
Barcode on product (EAN 3)	4260275960089	4260275960096

Contact

neodia

Mobile : +32 477 48 36 70
Fax : +32 2 375 35 60
Email : info@neodia.be
Web : www.neodia.be

E27 LED Retrofit BULLED STAR Product Specification

- > Extremely durable high-quality retrofit LED lamp, sized liked a regular incandescent light bulb
- > Substitute for a E27 60-watt incandescent light bulb
- > Outstanding colour rendering (CRI typ. 90)
- > Instant 100% luminosity
- > Uniform and omnidirectional light dispersion
- > Dimmable with trailing edge dimmer
- > No mercury or other harmful substances
- > Robust materials
- > Extremely light by using Hightech-Plastic-Compound
- > Lifetime 80,000 h
- > 5 Years Warranty
- > Weight ca. 90 g



LED

TECHNOLOGY

85% ENERGY EFFICIENT

CREE LEDs

interior
innovation
award
2012

Winner

Designpreis
Rheinland-Pfalz 2011
AuszeichnungRoHS
CE

MADE IN EU



98 x 55



330°



Ra90



80,000 h



Robust

Dimmable¹

General Characteristics

Socket	E27
Bulb	A55
Lifetime (hours)	80,000 h
Lifetime (years with ca. 3h daily usage)	80 years

Electrical Specifications

Power input	11 W
Voltage	230 V
Power consumption	50 mA
Frequency	50 Hz
Power factor	>0,9
Dimmable	with trailing edge dimmer ¹
Comparable output	60 W
Start time	0,4 sec
Switching cycle	>150.000 x

¹ further Information and a list of tested dimmers is available on www.mybulled.com

Environmental Characteristics

Energy efficiency	Class A
-------------------	---------

Photometric Characteristics

Colour code	WW
Luminous colour	Warmwhite
Luminous flux	700 Lm
Colour rendering	90 (± 5%)
Colour temperature	2800 K
LLMF-End nominal lifetime	70% (L 70)

Product Dimensions

Diameter	55 mm
Length	98 mm
Net weight per item	0,090 kg

Produktdata

bulled
STAR



Order number	BSW 2011 01-01
Product colour	White
Order description	STAR WHITE
Items per package	1
Packaging configuration	10
Items per board	10
Barcode on package (EAN 1)	4260275960034
Barcode on configuration (EAN 2)	4260275960072
Barcode on product (EAN 3)	4260275960119

Contact

neodia

Mobile : +32 477 48 36 70

Fax : +32 2 375 35 60

Email : info@neodia.be

Web : www.neodia.be

E27 LED Retrofit BULLED MODULAR Product Specification

- > Extremely durable high-quality retrofit LED lamp, sized liked a regular incandescent light bulb
- > Substitute for a E27 60-watt incandescent light bulb
- > Outstanding colour rendering (CRI typ. 90)
- > Instant 100% luminosity
- > Uniform and omnidirectional light dispersion
- > Dimmable with trailing edge dimmer
- > No mercury or other harmful substances
- > Robust materials
- > Lenses with extremely robust by Aluminium-Alloying
- > high efficient and consistent cooling power
- > Lifetime 80,000 h
- > 5 Years Warranty
- > Weight ca. 120 g



bulled
MODULAR

LED
TECHNOLOGY
85% ENERGY EFFICIENT
CREE LEDs

interior
innovation
award
2012
Winner

Designpreis
Rheinland-Pfalz 2011
Auszeichnung

RoHS
CE

MADE IN EU



General Characteristics

Socket	E27
Bulb	A55
Lifetime (hours)	80,000 h
Lifetime (years with ca. 3h daily usage)	80 years

Electrical Specifications

Power input	11 W
Voltage	230 V
Power consumption	50 mA
Frequency	50 Hz
Power factor	>0,9
Dimmable	with trailing edge dimmer ¹
Comparable output	60 W
Start time	0,4 sec
Switching cycle	>150.000 x

¹ further Information and a list of tested dimmers is available on www.mybulled.com

Environmental Characteristics

Energy efficiency	Class A
-------------------	---------

Photometric Characteristics

Colour code	WW
Luminous colour	Warmwhite
Luminous flux	700 Lm
Colour rendering	90 (± 5%)
Colour temperature	2800 K
LLMF-End nominal lifetime	70% (L 70)

Product Dimensions

Diameter	55 mm
Length	98 mm
Net weight per item	0,120 kg

Produktdata

bulled
MODULAR



Order number	BMS 2011 01-01
Product colour	Silver
Order description	MODULAR SILVER
Items per package	1
Packaging configuration	10
Items per board	10
Barcode on package (EAN 1)	4260275960027
Barcode on configuration (EAN 2)	4260275960065
Barcode on product (EAN 3)	4260275960102

Contact

neodia

Mobile : +32 477 48 36 70

Fax : +32 2 375 35 60

Email : info@neodia.be

Web : www.neodia.be

